

Designed for *my* real life... *without compromise.*



Stephen | RV Instructor, CA
I'm on uneven terrain with holes when I camp. I used to worry about that, but with Kinnex I don't have to worry about that anymore. I can launch my boat **without fear** of stepping in the water. All the things that have prevented me from enjoying myself Kinnex removed them. **I love it.** With Kinnex I feel complete again.



Mike | Retired Photographer, CA.
I love Kinnex because I can **get my life back** again. I can do the things I couldn't do like hiking and fishing and bike riding. **Life is better again.** With Kinnex I can get to places as a photographer I wasn't able to get to before. I'm able to go to those places with **confidence** and at this point I feel like I could do anything.



Ramin | Property Manager, OK
Kinnex has helped me change my overall **quality of life**. You get the full motion, the **natural motion** that you miss with a fixed ankle. It takes a lot of the pressure and shock off of my actual joints. I feel **less fatigue** at the end of the day and my overall **quality and comfort** of my limb is tenfold better than it ever has been.



Ellen | Rancher, CO.
Kinnex allows me to go on the uneven ground and I am **confident**. I **don't worry** about falling and I'm not having to pay much attention to what I'm doing. I can focus on the animals I'm taking care of and just live my life.

Ordering made easy

1 Verify User's Measurement

- Patient weight
- Foot Size (24-30cm)
- Clearance requirements (see build height chart)
- Right or Left
- Sandal Toe (24-28cm) or Standard Toe

Foot Size	Build Height
24-25cm	7.2" / 184mm
26-28cm	7.3" / 186mm
29-30cm	7.3" / 186mm

2 Select Stiffness Category

Weight (lbs)	Impact Level		Weight (kg)
	Low	Moderate	
100-115	1	1	44-52
116-130	1	2	53-59
131-150	2	3	60-68
151-170	3	4	69-77
171-195	4	5	78-88
196-220	5	6	89-100
221-255	6	7	101-116
256-275	7		117-125

3 Complete Foot Module Part Number

F14-N2-0 **A** -

Category (1-7) Size (24-30cm) Toe Configuration RU- Regular Toe, Universal SR- Sandal Toe Right SL- Sandal Toe Left

Foot Module

FTC- **K-1** **4-**

Generation 2-3 Size (24-30cm) Skin Tone L-Light M-Medium D-Dark Toe R-Reg S-Sandal Side L-Left R-Right

Foot Shell

... | Focused Solutions

PROTEOR is solely focused on developing world class lower limb solutions in close collaboration with prosthetists and people with amputations. These solutions encompass technological innovations, service, training, educational resources and consultative support to help ensure user satisfaction.

PROTEOR
1236 West Southern Ave
Tempe, AZ 85282
phone: 855.450.7300
email: info@proteorusa.com
www.proteorusa.com

PROTEOR European Headquarters
6 rue de la Redoute
21850 St Apollinate, France
phone: +33 (0)3 80 78 42 08
email: cs@proteor.com
www.proteor.com

USA Manufacturing & Returns
3 Morgan
Irvine, CA 92618

Connect with us



#DesignedForRealLife #HumanFirst #PROTEOR

Designed for *my* real life... *without compromise.*



KINNEX™ 2.0

MICROPROCESSOR ANKLE/FOOT SYSTEM


Designed for *my* real life...

Kinnex microprocessor ankle combines sophisticated microprocessor ankle engineering with Freedom Innovations' carbon fiber foot technology, providing users a uniquely stable and natural experience whether walking on varied terrain, sitting comfortably, or standing securely. Kinnex 2.0 features an improved hydraulic system design, user experience, and extensive internal and external testing.

without compromise.

Kinnex is the *only* microprocessor ankle with *all* these features:

- ✓ **30° range of motion** available within the first step to seamlessly adjust to changes in terrain
- ✓ **CP programming and user adjustments apps** available in iOS and Android
- ✓ **Full length carbon fiber footplate** with a split keel and heel for energy storage and return and M/L adaptation
- ✓ **Dynamic and Manual Locks** for maximum comfort and stability
- ✓ **Heel height adjustment** (barefoot up to 2") to comfortably match any shoe for work or play
- ✓ **IP67 rated** to confidently brave the elements and participate in desired activities
- ✓ **No service interval requirement** for an uninterrupted lifestyle



From barefoot to shoes easily
Kinnex accommodates heel heights from 0-2" and allows user to program and save up to 100 shoes.



30° of Ankle Articulation
20° of plantarflexion and 10° of dorsiflexion allows the ankle and foot to be ideally positioned in relation to the ground during all activities.



Smooth Rollover and Energy Return
A full length heel and keel without bolts ensures seamless stance phase roll-over and energy storage and return for superior comfort.

Explore Kinnex 2.0



Manual Lock
Conveniently located inside the app or via the ankle key pad.



Low Battery Feature
Provides enhanced notifications and improved comfort.



Alignment Setup Feature
Ankle automatically locks in a neutral position during setup for alignment.

User and Prosthetist Apps
Streamlined set up, monitoring, customization and cadence reporting are a touch away with the Clinician and Patient Apps.



Optimal Stability
Split keel & heel increase ground compliance and improve stability.

Water Ingress Certified
IP67 tested for occasional submersion in fresh water.